



Extension

UNIVERSITY OF WISCONSIN-MADISON

Provided to you by:

Degree Days for Common Landscape Insect Pests

Karen Delahaut, UW-Madison Fresh Market Vegetable Program

Ash Borer

1st instar larvae = 275-500 DD₅₀

Ash Plantbug

Nymphs = 100-200 DD₅₀

Birch Leafminer

1st generation larvae = 275-500 DD₅₀

Black Vine Weevil

1st generation adults = 400-600 DD₅₀

2nd generation adults = 900-1000 DD₅₀



Bronze Birch Borer

Larvae = 400-500 DD₅₀

Cooley Spruce Gall Adelgid

Adults = 50-100 DD₅₀

Egg hatch = 210 DD₅₀

Galls forming = 250 DD₅₀

2nd generation nymphs = 2800-3000 DD₅₀



Cottony Maple Scale

Egg hatch = 850 DD₅₀

Crawlers = 900-1200 DD₅₀



Eastern Spruce Gall Adelgid

Adults = 50-100 DD₅₀

Egg hatch = 90 DD₅₀

1st instar larvae = 100 DD₅₀

2nd generation nymphs = 2800-3000 DD₅₀

Eastern Tent Caterpillar

Egg hatch = 50 DD₅₀

1st instar larvae = 100 DD₅₀

2nd instar larvae = 140 DD₅₀

3rd instar larvae = 350 DD₅₀

Adults = 725 DD₅₀



Elm Leaf Beetle

Larvae = 400-500 DD₅₀

Elm Sawfly

Larvae = 365 DD₅₀

Euonymus Scale

Crawlers = 500-700 DD₅₀

European Pine Sawfly

1st instar larvae = 50-100 DD₅₀

European Pine Shoot Moth

Spring larvae active = 50-100 DD₅₀

Adults = 900 DD₅₀

Egg hatch = 200-100 DD₅₀

Fall Webworm

Larvae = 850 DD₅₀

Fletcher Scale

Adults = 100-200 DD₅₀

Egg hatch = 600 DD₅₀

Crawlers active = 900-1200 DD₅₀

Gypsy Moth

Egg hatch = 100-200 DD₅₀

Larvae = 200-350 DD₅₀

Hawthorn Leafminer

Larvae = 275-500 DD₅₀

Honeylocust Plantbugs

= 100-200 DD₅₀



Extension

UNIVERSITY OF WISCONSIN-MADISON

Imported Willow Leaf Beetle

= 200-350 DD₅₀

Japanese Beetle

Adults = 900-1200 DD₅₀

Mountain Ash Sawfly

= 500 DD₅₀

Oystershell Scale (brown race)

Egg hatch = 265 DD₅₀

1st generation crawlers = 275-500 DD₅₀

2nd generation crawlers = 1600-1700 DD₅₀



Oystershell Scale (grey race)

1st generation crawlers = 400-600 DD₅₀

Pine Needle Scale

1st generation crawlers = 200-350 DD₅₀

2nd generation crawlers = 1600-1700 DD₅₀



Pine Spittlebug

1st generation egg hatch = 145 DD₅₀

2nd generation egg hatch = 1500 DD₅₀

2nd generation crawlers = 1500-1600 DD₅₀



Spruce Spider Mite

= 100-200 DD₅₀

Taxus Mealybug

= 275-500 DD₅₀

Viburnum Crown Borer

1st instar larvae = 500-600 DD₅₀

Zimmerman Pine Shoot Moth

1st generation larvae (1st instar) = 100 DD₅₀

2nd generation larvae (1st instar) = 2700-2900 DD₅₀

For more information on phenology: See University of Wisconsin Garden Facts X1085, X1086 and X1087, or contact your county Extension agent.

© 2002-2019 by the Board of Regents of the University of Wisconsin System doing business as the division of Cooperative Extension of the University of Wisconsin Extension.

An EEO/Affirmative Action employer, University of Wisconsin Extension provides equal opportunities in employment and programming, including Title IX and ADA requirements. This document can be provided in an alternative format by calling Brian Hudelson at (608) 262-2863 (711 for Wisconsin Relay).

References to pesticide products in this publication are for your convenience and are not an endorsement or criticism of one product over similar products. You are responsible for using pesticides according to the manufacturer's current label directions. Follow directions exactly to protect the environment and people from pesticide exposure. Failure to do so violates the law.

Thanks to Michelle Miller and Susan Mahr for reviewing this document.

A complete inventory of University of Wisconsin Garden Facts is available at the University of Wisconsin-Madison Division of Extension Plant Disease Diagnostics Clinic website: <https://pdcd.wisc.edu>.