



Extension

UNIVERSITY OF WISCONSIN-MADISON

Provided to you by:

Soybean Vein Necrosis Disease

Chase Fritz and Damon Smith, UW-Madison Plant Pathology

What is soybean vein necrosis disease? Soybean vein necrosis disease (SVND) is a relatively recent discovery in soybean. SVND was first described in 2008 in Tennessee, but has since been confirmed in several other states including Arkansas, Delaware, Illinois, Iowa, Kentucky, Maryland, Michigan, Mississippi, Missouri, New York, Pennsylvania and Virginia. SVND was confirmed in Wisconsin in 2012. Researchers do not know if SVND can lead to significant yield reductions.



Yellowing and death of leaf veins, as well as mosaic patterns, are typical symptoms of soybean vein necrosis disease.

What does soybean vein necrosis disease look like? Soybean plants with SVND exhibit vein clearing (i.e., lightening of vein color) and chlorosis (i.e., yellowing), as well as mosaic patterns (i.e., blotchy light and dark areas) on affected leaves. Initially, symptoms develop around the veins of leaves and eventually expand outward. As the disease progresses, vein and leaf browning and necrosis (i.e., death) occur.

Where does soybean vein necrosis disease come from? SVND is caused by *Soybean vein necrosis virus* (SVNV). SVNV is in the viral genus *Tospovirus*. This group of viruses includes common vegetable viruses [e.g., *Tomato spotted wilt virus* (TSWV) and *Iris yellow spot virus* (IYSV)] and ornamental viruses [e.g., *Impatiens necrotic spot virus* (INSV)] that can cause severe damage and substantial loss of yield and crop quality. Tospoviruses tend to have wide host ranges and are transmitted by several species of thrips. SVNV is also thought to be thrips-transmitted, but this has yet to be confirmed. SVNV may have been introduced to Wisconsin via thrips moving north on wind currents from the southern United States.

Revised

Apr. 14, 2013



Extension

UNIVERSITY OF WISCONSIN-MADISON

How can I save a soybean crop with soybean vein necrosis disease? Currently very little is known about SVND. Thus there are no specific management practices recommended for SVND at this time.

How can I avoid problems with soybean vein necrosis disease in the future? Currently no specific control recommendations are in place. Researchers at universities across the country are attempting to determine what impact SVNV will have. Additional research is needed to determine how SVNV affects soybeans, how it is transmitted, how it overwinters, and what can be done to slow its spread.

For more information on soybean vein necrosis disease: Contact your county Extension agent.

© 2013-2019 by the Board of Regents of the University of Wisconsin System doing business as the division of Cooperative Extension of the University of Wisconsin Extension.

An EEO/Affirmative Action employer, University of Wisconsin Extension provides equal opportunities in employment and programming, including Title IX and ADA requirements.

References to pesticide products in this publication are for your convenience and are not an endorsement or criticism of one product over similar products. You are responsible for using pesticides according to the manufacturer's current label directions. Follow directions exactly to protect the environment and people from pesticide exposure. Failure to do so violates the law.

Thanks to Diana Alfuth, Tom German and Bryan Jensen for reviewing this document.

A complete inventory of University of Wisconsin Farm Facts is available at the University of Wisconsin-Madison Division of Extension Plant Disease Diagnostics Clinic website: <https://pddc.wisc.edu>.